EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(pressure near sensor) and (compressed near air near electronic)	US-PGPUB; USPAT	OR	OFF	2009/03/25 10:14
L2	7213	(pressure near sensor) and ("303"/$ or "267"/$ or "701"/$).ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/25 10:16
L3	511	(pressure near sensor) and ("303"/$ or "267"/$ or "701"/$).ccls. and (compressed near air)	US-PGPUB; USPAT	OR	OFF	2009/03/25 10:16
L5	1	("6276761").PN.	USPAT	OR	OFF	2009/03/25 11:18
L11	99	(compressed near air) with reservoir with suspension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:24
L12	5	11 and "303"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:25
L13	9	(compressed near air) with reservoir with high with pressure with suspension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:26
L14	47	(compressed near air) with (controller or (control near device)) with suspension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:31
L15	3	(service near brak$3 near circuit$1) with pressure with higher with compressed with air	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:57
L16	0	(service near brak$3 near circuit$1) with pressure with higher with (parking near circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:58
L17	1	(service near brak$3 near circuit$1) with pressure with higher with (parking with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 11:58
L18	1	"11/099980"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 13:51

L19	1762	303/3,9.63,9.66.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 14:55
L20	190	19 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 14:55
L21	7	(compressed near air) with circuit$1 with pressure with limiter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 14:58
L22	138	(compressed near air) with circuit$1 with pressure with (higher or lower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:00
L23	4	(compressed near air) with circuit$1 with pressure with (higher or lower) with limiter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:00
L24	15	22 and "303"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:01
L25	0	(park$3 near brak$3 near circuit$1) with pressure with (lower or higher) with (service near brak$3 near circuit$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:12
L26	0	(park$3 near brak$3 near circuit$1) with pressure with (lower or higher) with (service near brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:12
L27	29	(park$3 near brak$3) with pressure with (lower or higher) with (service near brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:13
L28	16	27 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:13
L29	259	303/122.15,157,158.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:19
L30	10	29 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:19

L31	732	303/118.1,119.1,dig.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:21
L32	105	31 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 15:21
L33	1	(pressure near limit$3 near valve$1) with upstream near solenoid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 16:13
L34	1	(pressure near limit$3 near valve$1) with (upstream near solenoid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 16:14
L35	112	(pressure near limit$3 near valve$1) with solenoid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 16:14
L36	64	(pressure near limit$3 near valve$1) with (solenoid near valve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 16:14
L37	7	36 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 16:14
L38	1	"19700243"	EPO; JPO; DERWENT	OR	OFF	2009/03/25 16:17
L39	71	(purpose with air with dryer) and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 17:05
L40	3	(purpose near air near dryer) and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 17:06
L41	5767	188/151r,152,352.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 17:34
L42	208	41 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/25 17:34
S1	233	((compressed near air) with valve$1 with circuit$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 22:34

S2	38	S1 and ("267"/$ or "303"/$). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 22:34
S3	1	((compressed near air) with valve$1 with circuit$1 with service with brak$3 with suspension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 22:49
S4	1	((compressed near air) with valve$1 with service with brak $3 with suspension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 22:50
S5	33	((compressed near air) with valve$1 with brak$3 with suspension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 22:53
S6	403	(detlefs-c$ or diekmeyer-h$ or lippelt-f$ or reinhardt-j$ or strilka-b$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 23:04
S7	32	S6 and (compressed near air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 23:05
S8	29	S7 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/24 23:05
S9	5	("4218882" | "4484784" | "6089831" | "6276761" | "6367887").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/24 23:12

3/25/09 8:35:32 PM
C:\ Documents and Settings\ mburch\ My Documents\ EAST\ Workspaces\ 10565920.wsp